



Welcome United States Patent and Trademark Office

□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((handheld <and>logical partition)<and>emulate) <and> (pyr >= 1951 <and> ..."



Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE – All Rights Reserved



Welcome United States Patent and Trademark Office

□ Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((handheld <and>logically partitioned)<and>emulate) <and> (pyr >= 1951 <and> pyr)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE - All rights reserved.


☐ Advanced Search

[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

OPTION 1

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	in All Fields	<input type="button" value="v"/>
<input type="button" value="AND"/> <input type="text"/>	in All Fields	<input type="button" value="v"/>
<input type="button" value="AND"/> <input type="text"/>	in All Fields	<input type="button" value="v"/>

» Note: If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.

OPTION 2

Enter keywords, phrases, or a Boolean expression

[Help](#)

<pre>(((network<and>memory)<and>emulate) <and>console) <and> (pyr >= 1951 <and> pyr <= 2001)</pre>	<input type="button" value="v"/>
------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

- ☒ Select publications
 - ☒ IEEE Periodicals
 - ☒ IEE Periodicals
 - ☒ IEEE Conference I
 - ☒ IEE Conference P
 - ☒ IEEE Standards
- ☐ Search subscribed con

» Other Resources (Availab

- ☒ IEEE Books

» Select date range

- ☐ Search latest content up
- ☒ From year to

» Display Format

- ☒ Citation ☐ Citatio

» Organize results

Maximum	<input type="text" value="100"/>
Display	<input type="text" value="25"/> resu
Sort by	<input type="text" value="Relevance"/>
In	<input type="text" value="Descending"/>

[Help](#) [Contact Us](#)

© Copyright 20

 Indexed by



Welcome United States Patent and Trademark Office

□ Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((network<and>memory)<and>emulate)<and>console) <and> (pyr >= 1951 &l..."

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 >>☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE - All Rights Reserved



pda memory emulate network

1951

- 2001

Search

Ad
Sci
Sci

Scholar

Results 1 - 10 of about 86 for pda memory emulate network. (0.06 seconds)

A Recurrent Neural Network that Learns to Count

P RODRIGUEZ, J Wiles, J Elman - Connection Science, 1999 - dx.doi.org

... Importantly, a **PDA** is an FSM with an additional resource of a ... to systems which do not have a distinct **memory** device ... An RNN can be hand-crafted to **emulate** such a ...Cited by 63 - [Web Search](#) - [taylorandfrancis.metapress.com](#) - [crl.ucsd.edu](#) - [ingentaconnect.com](#) - [all 5 versions](#) »

The Neural network pushdown automaton: model, stack and learning simulations

GZ Sun, CL Giles, HH Chen, YC Lee - 1993 - neci.nj.nec.com

... CFGs) and their associated recognizer - the pushdown automata (**PDA**), where a ... coupled a recurrent neural **network** to a **memory** tape to **emulate** a Turing ...Cited by 9 - [View as HTML](#) - [Web Search](#) - [clgiles.ist.psu.edu](#) - [drum.umd.edu](#) - [unicamp.br](#) - [all 11 versions](#) »

The Neural Network Pushdown Automaton: Architecture, Dynamics and Training

GZ Sun, CL Giles, HH Chen, Y Lee - Summer School on Neural Networks, 1997 - springerlink.com

... CFGs) and their associated recognizer - the pushdown automata (**PDA**), where a ... coupled a recurrent neural **network** to a **memory** tape to **emulate** a Turing ...Cited by 3 - [Web Search](#) - [portal.acm.org](#)

Any Network, Any Terminal, Anywhere

A Fasbender, F Reichert, E Geulen, J Hjelm, T ... - IEEE Personal Communications, April, 1999 - ieeexplore.ieee.org

... characteris- power, battery life, and **memory** capacity will ... format and user interface to match **network** characteristics and ... To **emulate** the variety of UMTS bearer ...Cited by 45 - [Web Search](#) - [ieeexplore.ieee.org](#)

User interface technologies for home appliances and networks

PM Corcoran, F Papal, A Zoldi - IEEE Transactions on Consumer Electronics, 1998 - ieeexplore.ieee.org

... but at the expense of requiring adequate **memory** resources on ... protocol is stateless and when the **PDA** is re ... technolo- gies were available to **emulate** an external ...Cited by 10 - [Web Search](#) - [ieeexplore.ieee.org](#)

A Generic Architecture for On-Chip Packet-Switched Interconnections

P Guerrier, A Greiner - DATE, 2000 - portal.acm.org

... in a single consumer equipment, for instance an advanced multimedia **PDA**. ... **Cache Memory** **Slave/ Memory** ... The goal is to **emulate** these models using the message ...Cited by 149 - [Web Search](#) - [poppy.snu.ac.kr](#) - [sigda.org](#) - [www-asim.lip6.fr](#) - [all 18 versions](#) »

A Network Architecture for Heterogeneous Mobile Computing

EA Brewer, RH Katz, Y Chawathe, SD Gribble, T ... - IEEE Personal Communications, 1998 - cs.berkeley.edu

... for the device, the user, and the current quality of the **network** connection, often ... in the infrastructure, eg, web browsing with images on the PalmPilot **PDA**. ...Cited by 129 - [View as HTML](#) - [Web Search](#) - [berkeley.chawathe.com](#) - [seattle.intel-research.net](#) - [cs.washington.edu](#) - [all 20 versions](#) »

[PS] A dynamical systems analysis of a recurrent neural network that learns to represent the structure of ...

P Rodriguez, J Wiles, J Elman - Under review, 1996 - crl.ucsd.edu

... Importantly, a **PDA** is a FSM with an additional resource of a ... to systems which do not have a distinct **memory** device ... A RNN can be hand-crafted to **emulate** such a ...Cited by 2 - [View as HTML](#) - [Web Search](#)

The architecture of the oasis mobile shared virtual memory system

WH Schroeder, BD Fleisch - 1996 - cs.ucr.edu

... for Oasis needs to be sequentially consistent in order to **emulate** POSIX behavior ...

PDA ... that will transform a program that uses POSIX shared **memory** and semaphores ...

[View as HTML](#) - [Web Search](#)

On the Design of a High-Performance ATM Bridge

WT Chen, YW Deng, CP Wang, NF Huang, HC Lin, CC Lu ... - ATM, 1998. ICATM-98., 1998 1st IEEE

International Conference ..., 1998 - [ieeexplore.ieee.org](#)

... The ATM bridge must has an emulated MAC layer to **emulate** the MAC ... addition, the embedded 80188 core can also access the flash **memory** for executing ... PRA and **PDA** ...

[Web Search](#) - [ieeexplore.ieee.org](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 **[Next](#)**

Outdated message

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2005 Google



handheld network memory emulate

1951

- 2001

Search

 Adv
Sci
Sci

Scholar

Results 1 - 10 of about 93 for handheld network memory emulate. (0.06 seconds)

Any Network, Any Terminal, Anywhere

A Fasbender, F Reichert, E Geulen, J Hjelm, T ... - IEEE Personal Communications, April, 1999 - ieeexplore.ieee.org

... the slow, less power consuming **handheld** CPUs is ... characteris- power, battery life, and **memory** capacity will ... user interface to match **network** characteristics and ...

Cited by 45 - [Web Search](#) - ieeexplore.ieee.org

Cluster-Based Scalable Network Services

A Fox, SD Gribble, Y Chawathe, EA Brewer, P ... - ACM SIGOPS Operating Systems Review, 1997 - deas.harvard.edu

... shared state through software distributed shared **memory** [33,34 ... In addition to managing the **network** state for outstanding ... size and bit depth for **handheld** devices ...

Cited by 325 - [View as HTML](#) - [Web Search](#) - cc.gatech.edu - cs.indiana.edu - fmg-www.cs.ucla.edu - all 9 versions »

Smart Memories: a modular reconfigurable architecture

K Mai, T Paaske, N Jayasena, R Ho, WJ Dally, M ... - CONF PROC ANNU INT SYMP COMPUT ARCHIT ISCA, pp. 161-171. ..., 2000 - portal.acm.org

... communication devices, gaming consoles, and **handheld** PDAs ... in stream computations is to local tile **memory**. ... these communications take place over the quad **network**. ...

Cited by 111 - [Web Search](#) - ces.clemson.edu - iacoma.cs.uiuc.edu - cap.suwon.ac.kr - all 14 versions »

[book] Palm OS Network Programming

G Winton - 2001 - print.google.com

... The convergence of **handheld**, wireless, and peer-to-peer ... of the new OS was the increase in **memory**. This left more room for building **network** applications after ...

Cited by 3 - [Web Search](#) - oreilly.com - oreilly.com - [Library Search](#)

User interface technologies for home appliances and networks

PM Corcoran, F Papal, A Zoldi - IEEE Transactions on Consumer Electronics, 1998 - ieeexplore.ieee.org

... at the expense of requiring adequate **memory** resources on ... markup lan- guage, allows **handheld** devices to ... modified a typical home-**network** application - in this ...

Cited by 10 - [Web Search](#) - ieeexplore.ieee.org

Low-Cost Miniature Interface and Control Systems for Smart Sensors, Tactical Radios, and Computer ...

B Martin, D Bryan, C San Diego - IEEE Military Communications Conference (MILCOM 95), San ..., 1995 - nosc.mil

... This fact will allow more soldiers to carry radios, smart sensors and **handheld** computers -- thus ... off-the-shelf **memory** resident drivers ... **NETWORK TACTICAL RADIO** ...

Cited by 5 - [View as HTML](#) - [Web Search](#) - spawar.navy.mil - parallaxresearch.com - spawar.navy.mil - all 5 versions »

Balancing computation and memory in high capacity reconfigurable arrays

S Perissakis - 2000 - heat.vlsilab.iecs.fcu.edu.tw

... 147 A.3 Conguration **memory** implementation ... 154 A.5 Conicts caused by the 2:1 switches in the tree **network** : : : : 155 ...

Cited by 2 - [View as HTML](#) - [Web Search](#)

Techniques for Software Thread Integration in Real-Time Embedded Systems

AG Dean, JP Shen - The 1998 19 th IEEE Real-Time Systems Symposium, 1998 - dx.doi.org

... The guest thread can **emulate** a hardware function, allowing elimination ... controller and its local frame buffer **memory** if any ... an I 2 C (inter-IC) **network** [15] for ...

